DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the <a href="https://www.npapersons.org/npapersons-npa

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit						
Permit #:	IL0027839	Permittee:	CANTON, CITY OF	Facility:	CANTON WEST STP, CITY OF	
Major:	Yes	Permittee Address:	2 NORTH MAIN ST CANTON, IL 61520	Facility Location:	350 WEST HICKORY STREET CANTON, IL 61520	
Permitted Feature:	001 External Outfall	Discharge:	001-S SEMI ANNUAL SAMPLING @ 001			
Report Dates & Status						
Monitoring Period:	From 11/01/23 to 04/30/24	DMR Due Date:	05/25/24	Status:	NetDMR Validated	
Considerations for Form	Completion					
W0570250003						
Principal Executive Office	er					
First Name:	Kent	Title:	Mayor	Telephone:	309-647-1391	
Last Name:	McDowell					
No Data Indicator (NODI)						
Form NODI:						
_	Name of the state	0 # B NODI	Overette en Landina	0	# of Est Estatement of Australia	O-mails Times

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading Quality or Concentration						#	# of Ex.	of Ex. Frequency of Analysis	Sample Type				
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2 Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
					Sample									<	5.0	19 - mg/L		09/99 - See Permit	GR - GRAB
00556 Oil & Grease	Oil & Grease	1 - Effluent Gross	0		Permit Req.										Req Mon DAILY MX	19 - mg/L		09/99 - See Permit	GR - GRAB
					Value NODI														
					Sample									<	5.0	28 - ug/L		09/99 - See Permit	GR - GRAB
00720	Cyanide, total [as CN]	1 - Effluent Gross	0		Permit Req.										Req Mon DAILY MX	28 - ug/L		09/99 - See Permit	GR - GRAB
					Value NODI														
					Sample									<	5.0	28 - ug/L		09/99 - See Permit	GR - GRAB
00722 Cyanide, free [amenable to chlorination]	Cyanide, free [amenable to chlorination]	1 - Effluent Gross	0		Permit Req.										Req Mon DAILY MX	28 - ug/L		09/99 - See Permit	GR - GRAB
				Value NODI															
					Sample									=	0.469	19 - mg/L		09/99 - See Permit	24 - COMP24
00951	Fluoride, total [as F]	1 - Effluent Gross	0		Permit Req.										Req Mon DAILY MX	19 - mg/L		09/99 - See Permit	24 - COMP24
				Value NODI															
					Sample									<	0.001	19 - mg/L		09/99 - See Permit	24 - COMP24
01002 Arsenic, total [as As]	Arsenic, total [as As]	1 - Effluent Gross	0		Permit Req.										Req Mon DAILY MX	19 - mg/L		09/99 - See Permit	24 - COMP24
					Value NODI														
					Sample									=	0.066	19 - mg/L		09/99 - See Permit	24 - COMP24
01007	Barium, total [as Ba]	1 - Effluent Gross	0		Permit Req.										Req Mon DAILY MX	19 - mg/L		09/99 - See Permit	24 - COMP24
					Value NODI														
					Sample									<	0.001	19 - mg/L		09/99 - See Permit	24 - COMP24
01027	Cadmium, total [as Cd]	1 - Effluent Gross	0		Permit Req.										Req Mon DAILY MX	19 - mg/L		09/99 - See Permit	24 - COMP24
					Value NODI														
					Sample									<	0.005	19 - mg/L		09/99 - See Permit	GR - GRAB
01032	Chromium, hexavalent [as Cr]	1 - Effluent Gross	0		Permit Req.										Req Mon DAILY MX	19 - mg/L		09/99 - See Permit	GR - GRAB
					Value NODI														
					Sample									<	0.004	19 - mg/L		09/99 - See Permit	24 - COMP24
01034 Chromium, total [as Cr]	Chromium, total [as Cr]	1 - Effluent Gross	0		Permit Req.										Req Mon DAILY MX	19 - mg/L		09/99 - See Permit	24 - COMP24
					Value NODI														
					Sample									<	0.003	19 - mg/L		09/99 - See Permit	24 - COMP24
01040	Common total Inc Cuil	1 - Effluent Gross	0		Permit Req.										Req Mon DAILY MX	19 - mg/L		09/99 - See Permit	24 - COMP24
01042	Copper, total [as Cu]	i - Emuent Gross	U																

				Value NODI					
				Sample	=	0.018	19 - mg/L	09/99 - See Permit	24 - COMP24
01045 Iron, total [as Fe]	1 - Effluent Gross	0		Permit Req.		Req Mon DAILY MX	19 - mg/L	09/99 - See Permit	24 - COMP24
	1 Emdon Oroso			Value NODI					
				Sample	=	0.006	19 - mg/L	09/99 - See Permit	24 - COMP24
Iron dissolved [as Fe]	1 - Effluent Gross	0		Permit Req.		Req Mon DAILY MX	19 - mg/L	09/99 - See Permit	24 - COMP24
01046 Iron, dissolved [as Fe]				Value NODI					
01051 Lead, total [as Pb]	1 - Effluent Gross	0		Sample	<	0.001	19 - mg/L	09/99 - See Permit	24 - COMP24
				Permit Req.		Req Mon DAILY MX	19 - mg/L	09/99 - See Permit	24 - COMP24
				Value NODI					
	1 - Effluent Gross	0		Sample	=	0.018	19 - mg/L	09/99 - See Permit	24 - COMP24
Manganese, total [as Mn]				Permit Req.		Req Mon DAILY MX	19 - mg/L	09/99 - See Permit	24 - COMP24
01055 Manganese, total [as Mn]				Value NODI					
01067 Nickel, total [as Ni]	1 - Effluent Gross	0		Sample	<	0.005	19 - mg/L	09/99 - See Permit	24 - COMP24
				Permit Req.		Req Mon DAILY MX	19 - mg/L	09/99 - See Permit	24 - COMP24
				Value NODI					
01077 Silver, total [as Ag]	1 - Effluent Gross			Sample	<	0.0015	19 - mg/L	09/99 - See Permit	24 - COMP24
		0		Permit Req.		Req Mon DAILY MX	19 - mg/L	09/99 - See Permit	24 - COMP24
				Value NODI					
01092 Zinc, total [as Zn]	1 - Effluent Gross	0		Sample	<	0.006	19 - mg/L	09/99 - See Permit	24 - COMP24
				Permit Req.		Req Mon DAILY MX	19 - mg/L	09/99 - See Permit	24 - COMP24
				Value NODI					
	1 - Effluent Gross			Sample	=	0.002	19 - mg/L	09/99 - See Permit	24 - COMP24
Selenium, total [as Se]		0		Permit Req.		Req Mon DAILY MX	19 - mg/L	09/99 - See Permit	24 - COMP24
01147 Selenium, total [as Se]				Value NODI					
32730 Phenolics, total recoverable	1 - Effluent Gross	0		Sample	<	0.005	19 - mg/L	09/99 - See Permit	GR - GRAB
				Permit Req.		Req Mon DAILY MX	19 - mg/L	09/99 - See Permit	GR - GRAB
				Value NODI					
	1 - Effluent Gross	0		Sample	=	0.631	3M - ng/L	09/99 - See Permit	GR - GRAB
Mercury, total [as Hq]				Permit Req.		Req Mon DAILY MX	3M - ng/L	09/99 - See Permit	GR - GRAB
71900 Mercury, total [as Hg]				Value NODI					
	Iron, dissolved [as Fe] Lead, total [as Pb] Manganese, total [as Mn] Nickel, total [as Ni] Silver, total [as Ag] Zinc, total [as Zn] Selenium, total [as Se]	Iron, dissolved [as Fe] 1 - Effluent Gross Lead, total [as Pb] 1 - Effluent Gross Manganese, total [as Mn] 1 - Effluent Gross Nickel, total [as Ni] 1 - Effluent Gross Silver, total [as Ag] 1 - Effluent Gross Zinc, total [as Zn] 1 - Effluent Gross Selenium, total [as Se] 1 - Effluent Gross 1 - Effluent Gross 1 - Effluent Gross	Iron, dissolved [as Fe] 1 - Effluent Gross 0 Lead, total [as Pb] 1 - Effluent Gross 0 Manganese, total [as Mn] 1 - Effluent Gross 0 Nickel, total [as Ni] 1 - Effluent Gross 0 Silver, total [as Ag] 1 - Effluent Gross 0 Zinc, total [as Zn] 1 - Effluent Gross 0 Selenium, total [as Se] 1 - Effluent Gross 0 Phenolics, total recoverable 1 - Effluent Gross 0	Iron, dissolved [as Fe]	Iron, total [as Fe] 1 - Effluent Gross 0	Iron, total [as Fe]	Fron, total [as Fe]	Iron, total [as Fe]	Tron, total [as Fe]

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

User:

Report Last Saved By

CANTON, CITY OF

CANTONWWTP

Name: Joseph Carruthers

E-Mail: jcarruthers@cantoncityhall.org

Date/Time: 2024-05-13 10:58 (Time Zone: -05:00)

Report Last Signed By

User: CANTONWWTP
Name: Joseph Carruthers

E-Mail: jcarruthers@cantoncityhall.org

Date/Time: 2024-05-13 11:04 (Time Zone: -05:00)