

DMR Copy of Record

Form Approved OMB No. 2040-004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business call phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the type of information requested in this form, if persons wish to assert a CBI claim we direct subscribers to contact the [NEDES Reporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(k)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for the collection of information are estimated to average 2 hours per outlet. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #:	IL0027839	Permittee:	CANTON, CITY OF	Facility:	CANTON WEST STP, CITY OF														
Major:	Yes	Permittee Address:	2 NORTH MAIN ST CANTON, IL 61520	Facility Location:	350 WEST HICKORY STREET CANTON, IL 61520														
Permitted Feature:	001 External Outfall	Discharge:	001-0 STP OUTFALL																
Report Dates & Status	Monitoring Period: From 02/01/26 to 02/28/26	DMR Due Date:	03/25/26	Status:	NEIDMR Validated														
Considerations for Form Completion W0570250003 : DMF LOAD LIMITS DISPLAYED.																			
Principal Executive Officer Kent McDowell Title: Mayor Telephone: 309-647-1391																			
No Data Indicator (NODI) Form NODI: -																			
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00300	Oxygen dissolved [DO]	1 - Effluent Gross	1	-	Sample Permit Req. Value NODI					=	11.1	=	10.6	=	10.2	=	19 - mg/L	02DA - 2 Days Every Week	GR - Grab
					Sample Permit Req. Value NODI					>=	5.5 MO AV MN	>=	4.0 MN WK AV	>=	3.5 DAILY MN		19 - mg/L	02DA - 2 Days Every Week	GR - Grab
00400	pH	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI					=	7.7	=	6.0 MINIMUM	=	8.1	=	12 - SU	02DA - 2 Days Every Week	GR - Grab
00530	Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	18.4	=	60.4	26 - lbd	=	18.4	=	12.0 MO AVG	=	7.6	=	19 - mg/L	02DA - 2 Days Every Week	CP - Composite
					Sample Permit Req. Value NODI	635.0 MO AVG	<=	1669.0 DAILY MX	26 - lbd	<=	10.6	<=	24.0 DAILY MX	<=	19 - mg/L		19 - mg/L	02DA - 2 Days Every Week	CP - Composite
00600	Nitrogen, total [as N]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI					=	11.0	=	11.0	=	11.0	=	19 - mg/L	01/30 - Monthly	CP - Composite
					Sample Permit Req. Value NODI	10.0	=	26.3	26 - lbd	=	1.3	=	3.1	=	3.1	=	19 - mg/L	02DA - 2 Days Every Week	CP - Composite
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	1	-	Sample Permit Req. Value NODI					<=	118.0 MO AVG	<=	1.7 MO AVG	<=	3.4 DAILY MX		19 - mg/L	02DA - 2 Days Every Week	CP - Composite
					Sample Permit Req. Value NODI	118.0 MO AVG	<=	236.0 DAILY MX	26 - lbd	<=	1.3	<=	1.7 MO AVG	<=	3.4 DAILY MX		19 - mg/L	02DA - 2 Days Every Week	CP - Composite
00685	Phosphorus, total [as P]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI					=	2.3	=	2.3	=	2.3	=	19 - mg/L	01/30 - Monthly	CP - Composite
					Sample Permit Req. Value NODI	0.833	=	1.693	03 - MGD	=	2.3	=	2.3	=	2.3	=	19 - mg/L	01/30 - Monthly	CP - Composite
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI					=	0.833	=	1.693	=	1.693	=	9999 - Continuous	9999 - Continuous	GR - Grab
					Sample Permit Req. Value NODI	Req Mon MO AVG	=	Req Mon DAILY MX	03 - MGD	=	0.833	=	1.693	=	1.693	=	9999 - Continuous	9999 - Continuous	GR - Grab
50080	Chlorine, total residual	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI					=	0.0	=	0.0	=	0.0	=	19 - mg/L	01/30 - Monthly	CP - Composite
					Sample Permit Req. Value NODI	Req Mon MO AVG	=	Req Mon DAILY MX	03 - MGD	=	0.0	=	0.0	=	0.0	=	19 - mg/L	01/30 - Monthly	CP - Composite
80092	BOD, carbonaceous [5 day, 20 C]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI					=	22.5	=	43.2	=	2.9	=	19 - mg/L	02DA - 2 Days Every Week	CP - Composite
					Sample Permit Req. Value NODI	696.0 MO AVG	<=	1391.0 DAILY MX	26 - lbd	<=	2.9	<=	10.0 MO AVG	<=	5.1	<=	19 - mg/L	02DA - 2 Days Every Week	CP - Composite

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By
CANTON, CITY OF

User:

JMBOHLER

Name:

Jared Bohler

E-Mail:

jmb984@yahoo.com

Date/Time:

2026-03-18 07:37 (Time Zone: -05:00)

Report Last Signed By

User:

JMBOHLER

Name:

Jared Bohler

E-Mail:

jmb984@yahoo.com

Date/Time:

2026-03-18 07:42 (Time Zone: -05:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(c), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not release a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [IPEDS eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting burden for this collection of information is estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (20211), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #:	IL0027839	Permittee:	CANTON, CITY OF	Facility:	CANTON WEST STP, CITY OF
Major:	Yes	Permittee Address:	2 NORTH MAIN ST CANTON, IL 61520	Facility Location:	350 WEST HICKORY STREET CANTON, IL 61520
Permitted Feature:	002 External Outfall	Discharge:	002-0 MAIN PLANT TREATED CSO	Status:	Not DMR Validated
Report Dates & Status	Monitoring Period: From 02/10/126 to 02/28/26 Considerations for Form Completion: W0570250003 ; NUMBER OF DAYS OF DISCHARGE:CS Principal Executive Officer: Kent McDowell	DMR Due Date:	03/25/26	Title:	Mayor
First Name:	Kent	Telephone:	309-647-1391		
Last Name:	McDowell				
No Data Indicator (NODI)	-				
Form NODI:	-				

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req. Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	19	D/DS - Daily When Discharging	GR - Grab
							6.0 MINIMUM				9.0 MAXIMUM				
00400	pH	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								12	D/DS - Daily When Discharging	GR - Grab
00530	Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								19	D/DS - Daily When Discharging	GR - Grab
00610	Nitrogen, ammonia total [as N]	EG - Effluent Gross	0	-	Sample Permit Req. Value NODI								19	D/DS - Daily When Discharging	GR - Grab
50080	Chlorine, total residual	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								19	D/DS - Daily When Discharging	GR - Grab
74055	Coliform, fecal general	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI								13	D/DS - Daily When Discharging	GR - Grab
82220	Flow, total	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI									D/DS - Daily When Discharging	CN - Continuous

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

No attachments

Report Last Saved By
CAWTON, CITY OF

User:
Name:
E-Mail:
Date/Time:

JIMBOHLER
Jared Bohler
jmb94@yahoo.com
2026-03-18 07:38 (Time Zone: -05:00)

Report Last Signed By

User:
Name:
E-Mail:
Date/Time:

JIMBOHLER
Jared Bohler
jmb94@yahoo.com
2026-03-18 07:42 (Time Zone: -05:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business call phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable. It may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDDES Site Reporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outlet. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2621T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #: IL0027839 **Permittee:** CANTON CITY OF
Major: Yes **Permittee Address:** 2 NORTH MAIN ST
 CANTON, IL 61520 **Facility Location:** CANTON WEST STP, CITY OF
 CANTON, IL 61520
Permitted Feature: 003 External Outfall **Discharge:** 003-0 CSO-STP BYPASS **Status:** NEDMR Validated
Report Dates & Status: **Monitoring Period:** From 02/01/26 to 02/28/26 **DMR Due Date:** 03/25/26

Considerations for Form Completion: W0570250003: RECEIVING WATER; MAUVAISTERRE CREEKNUMBER OF DAYS OF DISCHARGE EFF 11/01/2015 THE GEO MEAN FOR OUTFALLS 002,003, AND 004 SHALL NOT EXCEED A DAILY MAX VALUE OF 4.5 x 10(1) CF/UDAY MAY-OCTOBER

Principal Executive Officer: Kent McDowell **Title:** Mayor **Telephone:** 309-647-1391
Last Name: McDowell

Form NODI: -

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req.	Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	-	Sample Permit Req.	Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	19 - mg/L	1	D/LDS - Daily	GR - Grab
00400	pH	1 - Effluent Gross	0	-	Sample Permit Req.	Value NODI	>=	6.0 MINIMUM	C - No Discharge				12 - SU	1	D/LDS - Daily	GR - Grab
00530	Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Req.	Value NODI							19 - mg/L	1	D/LDS - Daily	GR - Grab
50060	Chlorine, total residual	1 - Effluent Gross	0	-	Sample Permit Req.	Value NODI	<=	0.75 MO AVG	C - No Discharge				19 - mg/L	1	D/LDS - Daily	GR - Grab
82220	Flow, total	1 - Effluent Gross	0	-	Sample Permit Req.	Value NODI							80 - Mgal/mo	1	D/LDS - Daily	CN - Continuous

Summary Totals:

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req.	Value NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
82220	Flow, total	1 - Effluent Gross	0	-	Sample Permit Req.	Value NODI							80 - Mgal/mo	1	D/LDS - Daily	CN - Continuous
Req Mon MO TOTAL C - No Discharge																

Submission Note: If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors: No errors.

Comments:

Attachments: No attachments.

Report Last Saved By: JIMBOHLER
CAUTION, CITY OF
User: Jared Bohler
Name: jrb394@jchoo.com
E-Mail:

Date/Time: 2026-03-18 07:38 (Time Zone: -05:00)
Report Last Signed By: JIMBOHLER
User: Jared Bohler
Name: jimbohl4@yahoo.com
E-Mail: 2026-03-18 07:42 (Time Zone: -05:00)
Date/Time:

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business call phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2621T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #:	L0027839	Permittee:	CANTON CITY OF	Facility:	CANTON WEST STP, CITY OF
Major:	Yes	Permittee Address:	2 NORTH MAIN ST CANTON, IL 61520	Facility Location:	350 WEST HICKORY STREET CANTON, IL 61520
Permitted Feature:	004 External Outfall	Discharge:	004-0 EAST PLANT TREATED CSO	Status:	NotDMR Validated
Report Dates & Status	DMR Due Date:		03/25/26		
Monitoring Period:	From 02/01/26 to 02/28/26				
Considerations for Form Completion	W0570250003 : NUMBER OF DAYS OF DISCHARGE CS				
Principal Executive Officer	Kent McDowell				
First Name:	Kent				
Last Name:	McDowell				
No Data Indicator (NODI)	-				
Form NODI:	-				
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req. Value NODI
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI
00400	pH	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI
00630	Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI
50060	Chlorine, total residual	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI
74055	Coliform, fecal general	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI
82220	Flow, total	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

No attachments

Report Last Saved By
CANTON, CITY OF

User:

Name:

E-Mail:

Date/Time:

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

JMBOHLER
Jared Bohler

jmb984@yahoo.com

2026-03-18 07:39 (Time Zone: -05:00)

JMBOHLER

Jared Bohler

jmb984@yahoo.com

2026-03-18 07:42 (Time Zone: -05:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business call phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submittees to contact the [NEDDES & Associates LLP Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outlet. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #:	IL0027839	Permittee:	CANTON, CITY OF	Facility:	CANTON WEST STP, CITY OF
Major:	Yes	Permitte Address:	2 NORTH MAIN ST CANTON, IL 61520	Facility Location:	350 WEST HICKORY STREET CANTON, IL 61520
Permitted Feature:	INF Influent Structure	Discharge:	INF-L INFLUENT MONITORING		
Report Dates & Status		DMR Due Date:	03/25/26	Status:	NEDDMR Validated
Monitoring Period:	From 02/01/26 to 02/28/26				
Considerations for Form Completion	W0570250003				
Principal Executive Officer					
First Name:	Kent	Title:	Mayor	Telephone:	309-547-1391
Last Name:	McDowell				
No Data Indicator (NODI)	-				
Form NODI:					

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1 Value 1	Qualifier 2 Value 1	Qualifier 3 Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00310	BOD, 5-day, 20 deg. C	G - Raw Sewage Influent	0	-	Sample Permit Req. Value NODI										02/DA - 2 Days Every Week	CP - Composite
00530	Solids, total suspended	G - Raw Sewage Influent	0	-	Sample Permit Req. Value NODI										02/DA - 2 Days Every Week	CP - Composite
50050	Flow, In conduit or thru treatment plant	G - Raw Sewage Influent	0	-	Sample Permit Req. Value NODI	0.2653	Req Mon MO AVG	1.693	03 - MGD						99/99 - Continuous	99/99 - Continuous

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
CANTON, CITY OF

User: JMBOHLER
Name: Jared Bohler
E-Mail: jmb984@yahoo.com

Date/Time: 2026-03-18 07:40 (Time Zone: -05:00)

Report Last Signed By
User: JMBOHLER
Name: Jared Bohler
E-Mail: jmb984@yahoo.com

Date/Time:

2026-03-18 07:42 (Time Zone: -05:00)