

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2000-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send any comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing the burden, to Washington Headquarters Office of Management and Budget, Paperwork Project (0142-0047), Washington, D.C. 20503. Send all requests for information to the Regulatory Support Division Director, U.S. Environmental Protection Agency (282/T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the Agency's control number in any correspondence. Do not send the collection (omit) to this address.

Permit #:	IL 0027839	Permittee:	CANTON, CITY OF																	
Major:	Yes	Permittee Address:	2 NORTH MAIN ST CANTON, IL 61520																	
Permitted Feature:	001 External Outfall	Discharge:	001-0 STP OUTFALL																	
Report Dates & Status	Monitoring Period: From 06/01/26 to 06/30/26		DMR Due Date:		07/25/26															
Considerations for Form Completion W0570250003 : DMF LOAD LIMITS DISPLAYED.			Status:																	
Principal Executive Officer			NedDMR Validated																	
First Name:	Kent	Title:	Telephone:																	
Last Name:	McDowell		Mayor																	
No Data Indicator (NODI)			309-647-1391																	
Form NODI:	-																			
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00300	Oxygen, dissolved [DO]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	87.1	=	157.2	26 - lbd	7.4	=	6.0 MINIMUM	8.22	=	7.7	=	12 - SU	02DA - 2 Days Every Week	GR - Grab	
00400	pH	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	835.0 MO AVG	<=	1669.0 DAILY MX	26 - lbd	2.1	=	24.0 DAILY MX	120 MO AVG	<=	2.8	=	12 - SU	02DA - 2 Days Every Week	GR - Grab	
00530	Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	14.9	=	40.5	26 - lbd	0.29	=	0.64	1.4 MO AVG	<=	3.0 DAILY MX	=	19 - mg/L	02DA - 2 Days Every Week	CP - Composite	
00600	Nitrogen, total [as N]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	97.0 MO AVG	<=	209.0 DAILY MX	26 - lbd	1.4 MO AVG	<=	3.0 DAILY MX	120 MO AVG	<=	24.0 DAILY MX	=	19 - mg/L	02DA - 2 Days Every Week	CP - Composite	
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	5	-	Sample Permit Req. Value NODI	14.9	=	40.5	26 - lbd	0.29	=	0.64	1.4 MO AVG	<=	3.0 DAILY MX	=	19 - mg/L	02DA - 2 Days Every Week	CP - Composite	
00665	Phosphorus, total [as P]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	4.156	=	7.586	03 - MGD	2.0	=	2.0	Req Mon MO AVG	=	2.0	=	19 - mg/L	0130 - Monthly	CP - Composite	
50050	Flow, In conduit or thru treatment plant	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	4.156	=	7.586	03 - MGD	2.0	=	2.0	Req Mon MO AVG	=	2.0	=	19 - mg/L	0130 - Monthly	CP - Composite	
50060	Chlorine, total residual	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	0.0	=	0.0	19 - mg/L	0.05 DAILY MX	<=	0.05 DAILY MX	19 - mg/L	<=	0.05 DAILY MX	=	19 - mg/L	02DA - 2 Days Every Week	GR - Grab	
74055	Coliform, fecal general	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	72.4	=	157.0	26 - lbd	1.6	=	2.5	20.0 DAILY MX	<=	2.5	=	19 - mg/L	02DA - 2 Days Every Week	GR - Grab	
00062	BOD, carbonaceous [5 day, 20 C]	1 - Effluent Gross	0	-	Sample Permit Req. Value NODI	096.0 MO AVG	<=	1391.0 DAILY MX	26 - lbd	10.0 MO AVG	<=	20.0 DAILY MX	19 - mg/L	<=	20.0 DAILY MX	=	19 - mg/L	02DA - 2 Days Every Week	CP - Composite	

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

CANTON, CITY OF

User:

JMBOHLER

Name:

Jared Bohler

E-Mail:

jrb984@yahoo.com

Date/Time:

2026-07-10 07:42 (Time Zone: -05:00)

Report Last Signed By

User:

JMBOHLER

Name:

Jared Bohler

E-Mail:

jrb984@yahoo.com

Date/Time:

2026-07-10 07:45 (Time Zone: -05:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.2203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outlet. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (20211), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #:
Major:
Permitted Feature:
Report Dates & Status
Monitoring Period:
Considerations for Form Completion
W0570250003 : NUMBER OF DAYS OF DISCHARGE:CS
Principal Executive Officer
First Name:
Last Name:
No Data Indicator (NODI)
Form NODI:

IL0027839
Yes
002
External Outfall
From 06/01/26 to 06/30/26
W0570250003 : NUMBER OF DAYS OF DISCHARGE:CS
Kent
McDowell
-

Permittee:
Permittee Address:
Discharge:
DMR Due Date:
Status:

CANTON, CITY OF
2 NORTH MAIN ST
CANTON, IL 61520
002-0
MAIN PLANT TREATED CSO
07/25/26
NeIDMR Validated

Facility:
Facility Location:
Telephone:

CANTON WEST STP, CITY OF
350 WEST HICKORY STREET
CANTON, IL 61520
309-647-1391

Code	Parameter	Name	Monitoring Location	Season	# Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Quality or Concentration	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00310	BOD, 5-day, 20 deg. C		1 - Effluent Gross	0	-	Sample Permit Reg.										4.12	19 - mg/L	DURS - Daily When Discharging	GR - Grab		
						Value NODI										Req Mon DAILY MX	19 - mg/L	DURS - Daily When Discharging	GR - Grab		
00400	pH		1 - Effluent Gross	0	-	Sample Permit Reg.										9.0 MAXIMUM	12 - SU	DURS - Daily When Discharging	GR - Grab		
						Value NODI												DURS - Daily When Discharging	GR - Grab		
00530	Solids, total suspended		1 - Effluent Gross	0	-	Sample Permit Reg.										114.0	19 - mg/L	DURS - Daily When Discharging	GR - Grab		
						Value NODI										Req Mon DAILY MX	19 - mg/L	DURS - Daily When Discharging	GR - Grab		
00610	Nitrogen, ammonia total [as N]		EG - Effluent Gross	0	-	Sample Permit Reg.												DURS - Daily When Discharging	GR - Grab		
						Value NODI												DURS - Daily When Discharging	GR - Grab		
50060	Chlorine, total residual		1 - Effluent Gross	0	-	Sample Permit Reg.												DURS - Daily When Discharging	GR - Grab		
						Value NODI												DURS - Daily When Discharging	GR - Grab		
74055	Coliform, fecal general		1 - Effluent Gross	0	-	Sample Permit Reg.												DURS - Daily When Discharging	GR - Grab		
						Value NODI												DURS - Daily When Discharging	GR - Grab		
82220	Flow, total		1 - Effluent Gross	0	-	Sample Permit Reg.												DURS - Daily When Discharging	CN - Continuous		
						Value NODI												DURS - Daily When Discharging	CN - Continuous		

23.34

80 - Mgal/mo

23.34

80 - Mgal/mo

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

No attachments.

Report Last Saved By
CANTON, CITY OF

User:

Name:

E-Mail:

Date/Time:

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

JMBOHLER

Jared Bohler

jmb984@yahoo.com

2026-07-09 13:43 (Time Zone: -05:00)

JMBOHLER

Jared Bohler

jmb984@yahoo.com

2026-07-10 07:45 (Time Zone: -05:00)

DMR Copy of Record

Form Approved OMB No. 2040-004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDDES Site Reporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting burden for this collection of information is estimated to average 2 hours per outlet. Send comments on the Agency's need for this information, the accuracy of the provided burden estimate, and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (20211), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit		Permit #: IL0027839		Permittee:		CANTON, CITY OF		Facility:		CANTON WEST STP, CITY OF					
Major:		Yes		Permittee Address:		2 NORTH MAIN ST CANTON, IL 61520		Facility Location:		350 WEST HICKORY STREET CANTON, IL 61520					
Permitted Feature:		003 External Outfall		Discharge:		003-0 CSO-STP BYPASS									
Report Dates & Status				From 06/01/26 to 06/30/26		DMR Due Date:		07/25/26		Status: NotDMR Validated					
Monitoring Period:				From 06/01/26 to 06/30/26											
Considerations for Form Completion				W0570250003 : RECEIVING WATER.MALVAISTERRE CREEKNUMBER OF DAYS OF DISCHARGE EFF 11/01/2015 THE GEO MEAN FOR OUTFALLS 002,003, AND 004 SHALL NOT EXCEED A DAILY MAX VALUE OF 4.5 x 10(11) CF/DAY MAY-OCTOBER											
Principal Executive Officer				Kent McDowell		Title:		Mayor		Telephone: 309-647-1391					
Last Name:				McDowell											
No Data Indicator (NODI)				--											
Form NODI:				--											
Code		Parameter Name	Monitoring Location Season # Param. NODI	Sample Permit Req. Value NODI	Quantity or Loading	Qualifier 1 Value 1	Qualifier 2 Value 2	Units	Qualifier 1 Value 1	Qualifier 2 Value 2	Qualifier 3 Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--											DLDS - Daily When Discharging GR - Grab
00400	pH	1 - Effluent Gross	0	--				>=	6.0 MINIMUM C - No Discharge						DLDS - Daily When Discharging GR - Grab
00530	Solids, total suspended	1 - Effluent Gross	0	--											DLDS - Daily When Discharging GR - Grab
30500	Coliform, fecal - % samples exceeding limit	1 - Effluent Gross	0	--											DLDS - Daily When Discharging GR - Grab
50060	Chlorine, total residual	1 - Effluent Gross	0	--											DLDS - Daily When Discharging GR - Grab
74055	Coliform, fecal general	1 - Effluent Gross	0	--											DLDS - Daily When Discharging GR - Grab
82220	Flow, total	1 - Effluent Gross	0	--											DLDS - Daily When Discharging CN - Continuous

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By
CANTON, CITY OF

User:

Name:

E-Mail:

Date/Time:

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

JMBOHLER

Jared Bohler

jrb984@yahoo.com

2026-07-10 07:43 (Time Zone: -05:00)

JMBOHLER

Jared Bohler

jrb984@yahoo.com

2026-07-10 07:45 (Time Zone: -05:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES Responding Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations (40 CFR 122.41(i)(4)(i)). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information is estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2021), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit		Permit #: IL0027839		Permittee:		CANTON, CITY OF		Facility:		CANTON WEST STP, CITY OF										
Major:		Yes		Permittee Address:		2 NORTH MAIN ST CANTON, IL 61520		Facility Location:		350 WEST HICKORY STREET CANTON, IL 61520										
Permitted Feature:		004 External Outfall		Discharge:		004-0 EAST PLANT TREATED CSO														
Report Dates & Status		From 06/01/26 to 06/30/26		DMR Due Date:		07/25/26		Status:		NetDMR Validated										
Monitoring Period:		From 06/01/26 to 06/30/26		DMR Due Date:		07/25/26		Status:		NetDMR Validated										
Considerations for Form Completion		W0570250003 : NUMBER OF DAYS OF DISCHARGES		DMR Due Date:		07/25/26		Status:		NetDMR Validated										
Principal Executive Officer		Kent McDowell		Title:		Mayor		Telephone:		309-647-1391										
Last Name:		McDowell		Title:		Mayor		Telephone:		309-647-1391										
No Data Indicator (NODI)		-		Title:		Mayor		Telephone:		309-647-1391										
Form NODI:		-		Title:		Mayor		Telephone:		309-647-1391										
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Quality or Concentration	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	-	Sample Permit Reg. Value NODI										2.28	19 - mg/L	DU/D5 - Daily When Discharging	GR - Grab		
00400	pH	1 - Effluent Gross	0	-	Sample Permit Reg. Value NODI	=	7.65							6.0 MINIMUM	9.0 MAXIMUM	12 - SU	DU/D5 - Daily When Discharging	GR - Grab		
00530	Solids, total suspended	1 - Effluent Gross	0	-	Sample Permit Reg. Value NODI											19 - mg/L	DU/D5 - Daily When Discharging	GR - Grab		
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	-	Sample Permit Reg. Value NODI											19 - mg/L	DU/D5 - Daily When Discharging	GR - Grab		
50060	Chlorine, total residual	1 - Effluent Gross	0	-	Sample Permit Reg. Value NODI											19 - mg/L	DU/D5 - Daily When Discharging	GR - Grab		
74055	Coliform, fecal general	1 - Effluent Gross	0	-	Sample Permit Reg. Value NODI											13 - #/100mL	DU/D5 - Daily When Discharging	GR - Grab		
82220	Flow, total	1 - Effluent Gross	0	-	Sample Permit Reg. Value NODI												DU/D5 - Daily When Discharging	CN - Continuous		

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments

Report Last Saved By
CANTON, CITY OF

User:

Name:

E-Mail:

Date/Time:

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

JMBOHLER

Jared Bohler

jmb984@yahoo.com

2026-07-10 07:45 (Time Zone: -05:00)

JMBOHLER

Jared Bohler

jmb984@yahoo.com

2026-07-10 07:45 (Time Zone: -05:00)

Form Approved OMB No. 2040-0004 expires on 07/31/2026

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NDEU regulations 40 CFR 122.41(f)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a unique OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, reviewing and revising your responses, and completing and reviewing the collection of information. Send comments on this burden estimate and any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters office, Paperwork Project Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460, include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #:	IL0027839	Permittee:	CANTON, CITY OF		Facility:	CANTON WEST STP, CITY OF															
Major:	Yes	Permittee Address:	2 NORTH MAIN ST CANTON, IL 61520		Facility Location:	350 WEST HICKORY STREET CANTON, IL 61520															
Permitted Feature:	INF Influent Structure	Discharge:	INF-1 INFLUENT MONITORING																		
Report Dates & Status	Monitoring Period: From 06/01/26 to 06/30/26		DMR Due Date:		Status:		NotDMR Validated														
Considerations for Form Completion W0570250003																					
Principal Executive Officer																					
First Name:	Kent	Title:	Mayor		Telephone:	309-647-1391															
Last Name:	McDowell																				
No Data Indicator (NODI)																					
Form NODI:	-																				
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Qualifier 1	Value 1	Quantity or Loading	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Quality or Concentration	Qualifier 3	Value 3	Units	# of Ex.	Frequency of Analysis	Sample Type
00310	BOD, 5-day, 20 deg. C	G - Raw Sewage Influent	0	-	Sample Permit Req.										40.4	Req Men MO AVG		19 - mg/L	02/DA - 2 Days Every Week	CP - Composite	
					Value NODI													19 - mg/L			
00530	Solids, total suspended	G - Raw Sewage Influent	0	-	Sample Permit Req.										50.8	Req Men MO AVG		19 - mg/L	02/DA - 2 Days Every Week	CP - Composite	
					Value NODI													19 - mg/L			
50050	Flow, In conduit or thru treatment plant	G - Raw Sewage Influent	0	-	Sample Permit Req.										4,156	Req Men MO AVG				99/99 - Continuous	
					Value NODI										7,388	Req Men DAILY MX	03 - MGD			99/99 - Continuous	
Submission Note																					
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																					
Edit Check Errors																					
No errors.																					
Comments																					
Attachments																					
No attachments.																					
Report Last Saved By																					
CANTON, CITY OF																					
User:																					
Name: JMBÖHLER																					
E-Mail: jmb384@yahoo.com																					
Date/Time: 2026-07-10 07:43 (Time Zone: -05:00)																					
Report Last Signed By																					
User: JMBÖHLER																					
Name: Jared Bohler																					
E-Mail: jmb384@yahoo.com																					
Date/Time: 2026-07-10 07:43 (Time Zone: -05:00)																					
Report Last Signed By																					
User: JMBÖHLER																					
Name: Jared Bohler																					
E-Mail: jmb384@yahoo.com																					

Date/Time:

2026-07-10 07:45 (Time Zone: -05:00)